FEB 16 2004 STATE GOVERNMENT

232425

HOUSE FILE 2265 BY HEDDENS

Passed	House,	Date		Passed	Senate,	Dat	е	
Vote:	Ayes _		Nays	Vote:	Ayes		Nays	
	F	Approv	ed					

A BILL FOR											
	An	Act to establish a fire extinguishing system contractor									
2		certification program in the office of the state fire marshal,									
3		providing for fees and penalties, and making an appropriation.									
4	BE	IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:									
5											
6											
7											
8											
9											
L O											
Ll											
L 2											
L 3											
L 4											
L 5											
L 6											
L 7											
L8											
L 9											
20											
21											
77											

s.f. _____ H.f. 2265

- Section 1. LEGISLATIVE FINDINGS. The general assembly
- 2 finds and declares that automatic fire extinguishing systems
- 3 that are properly installed and maintained have historically
- 4 proven to save lives and property. Building and fire codes
- 5 adopted at the state and local levels place significant
- 6 emphasis on the installation of automatic fire extinguishing
- 7 systems, creating a dire need to qualify the contractors that
- 8 install and maintain these systems. An improperly installed
- 9 or maintained automatic fire extinguishing system gives the
- 10 public a false sense of safety, and systems that are not
- 11 designed, installed, maintained, or repaired by professionally
- 12 qualified businesses may result in injuries or even death to
- 13 the citizens and inhabitants of Iowa. Requiring these
- 14 contractors to meet certain nationally recognized standards
- 15 and be certified by the office of the state fire marshal is
- 16 the most effective and consistent way of providing this needed
- 17 oversight. It is the intent of the general assembly that the
- 18 fire extinguishing system contractors advisory board
- 19 established in this Act assist the state fire marshal with the
- 20 promulgation of rules and procedures necessary to effectively
- 21 enforce Code chapter 100C created in this Act, and advise the
- 22 state fire marshal in all matters pertaining to automatic fire
- 23 extinguishing systems.
- 24 Sec. 2. Section 100.1, Code Supplement 2003, is amended by
- 25 adding the following new subsection:
- NEW SUBSECTION. 7. To enforce the fire extinguishing
- 27 system contractor certification program established in chapter
- 28 100C.
- 29 Sec. 3. NEW SECTION. 100C.1 DEFINITIONS.
- 30 As used in this chapter, unless the context otherwise
- 31 requires:
- 32 1. "Automatic dry-chemical extinguishing system" means a
- 33 system supplying a powder composed of small particles, usually
- 34 of sodium bicarbonate, potassium bicarbonate, urea-potassium-
- 35 based bicarbonate, potassium chloride, or monoammonium

1 phosphate, with added particulate material supplemented by

2 special treatment to provide resistance to packing, resistance

- 3 to moisture absorption, and the proper flow capabilities.
- 4 2. "Automatic fire extinguishing system" means a system of
- 5 devices and equipment that automatically detects a fire and
- 6 discharges an approved fire extinguishing agent onto or in the
- 7 area of a fire and includes automatic sprinkler systems,
- 8 carbon dioxide extinguishing systems, deluge systems,
- 9 automatic dry-chemical extinguishing systems, foam
- 10 extinguishing systems, halogenated extinguishing systems, or
- 11 other equivalent fire extinguishing technologies recognized by
- 12 the fire extinguishing system contractors advisory board.
- 3. "Automatic sprinkler system" means an integrated fire
- 14 protection sprinkler system usually activated by heat from a
- 15 fire designed in accordance with fire protection engineering
- 16 standards and includes a suitable water supply. The portion
- 17 of the system above the ground is a network of specially sized
- 18 or hydraulically designed piping installed in a structure or
- 19 area, generally overhead, and to which automatic sprinklers
- 20 are connected in a systematic pattern.
- 21 4. "Carbon dioxide extinguishing system" means a system
- 22 supplying carbon dioxide from a pressurized vessel through
- 23 fixed pipes and nozzles and includes a manual or automatic
- 24 actuating mechanism.
- 25 5. "Deluge system" means a sprinkler system employing open
- 26 sprinklers attached to a piping system connected to a water
- 27 supply through a valve that is opened by the operation of a
- 28 detection system installed in the same area as the sprinklers.
- 29 6. "Fire extinguishing system contractor" means a person
- 30 engaging in or representing oneself to the public as engaging
- 31 in the activity or business of layout, installation, repair,
- 32 alteration, addition, maintenance, or maintenance inspection
- 33 of automatic fire extinguishing systems in this state.
- 34 7. "Foam extinguishing system" means a special system
- 35 discharging foam made from concentrates, either mechanically

- 1 or chemically, over the area to be protected.
- 2 8. "Halogenated extinguishing system" means a fire
- 3 extinguishing system using one or more atoms of an element
- 4 from the halogen chemical series of fluorine, chlorine,
- 5 bromine, and iodine.
- 6 9. "Maintenance inspection" means periodic inspection and
- 7 certification completed by a fire extinguishing system
- 8 contractor. For purposes of this chapter, "maintenance
- 9 inspection" does not include an inspection completed by a
- 10 local building official, fire inspector, or insurance
- 11 inspector, when acting in an official capacity.
- 12 10. "Responsible managing employee" means an owner,
- 13 partner, officer, or manager employed full-time by a fire
- 14 extinguishing system contractor who has any of the following
- 15 qualifications:
- 16 a. Is certified by the national institute for
- 17 certification in engineering technologies at a level III in
- 18 fire protection technology, automatic sprinkler system layout,
- 19 or another recognized certification in automatic sprinkler
- 20 system layout recognized by the fire extinguishing system
- 21 contractors advisory board.
- 22 b. Is a professional engineer registered in this state
- 23 having at least three years experience with automatic fire
- 24 extinguishing systems.
- 25 c. Meets any other criteria established by rule under this
- 26 chapter.
- 27 Sec. 4. NEW SECTION. 100C.2 CERTIFICATION -- EMPLOYEES.
- 28 1. A person shall not act as a fire extinguishing system
- 29 contractor without first obtaining a fire extinguishing system
- 30 contractor's certificate pursuant to this chapter.
- 31 2. A responsible managing employee may act as a
- 32 responsible managing employee for only one fire extinguishing
- 33 system contractor at a time. The responsible managing
- 34 employee shall not be designated as the responsible managing
- 35 employee for more than two fire extinguishing system

- 1 contractors in any twelve-month period.
- An employee of a certified fire extinguishing system
- 3 contractor working under the direction of a responsible
- 4 managing employee is not required to obtain and maintain an
- 5 individual fire extinguishing system contractor's certificate.
- 6 Sec. 5. NEW SECTION. 100C.4 APPLICATION -- INFORMATION
- 7 TO BE PROVIDED.
- 8 1. A fire extinguishing system contractor shall apply for
- 9 a certificate on a form prescribed by the state fire marshal.
- 10 The application shall be accompanied by a fee in an amount
- ll prescribed by rule and shall include all of the following
- 12 information:
- 13 a. The name, address, and telephone number of the
- 14 contractor, including all legal and fictitious names.
- b. Proof of insurance coverage required by section 100C.5.
- 16 c. The name and qualifications of the person designated as
- 17 the contractor's responsible managing employee and of persons
- 18 designated as alternate responsible managing employees.
- 19 d. Any other information deemed necessary by the state
- 20 fire marshal.
- 21 2. Upon receipt of a completed application, if the
- 22 contractor meets all requirements established by this chapter,
- 23 the state fire marshal shall issue a certificate to the fire
- 24 extinguishing system contractor within thirty days.
- 25 3. Certificates shall expire and be renewed as established
- 26 by rule.
- 27 4. Any change in the information provided in the
- 28 application shall be promptly reported to the state fire
- 29 marshal. When the employment of a responsible managing
- 30 employee is terminated, the fire extinguishing system
- 31 contractor shall notify the state fire marshal within thirty
- 32 days after termination.
- 33 Sec. 6. NEW SECTION. 100C.5 INSURANCE.
- 34 A fire extinguishing system contractor shall maintain
- 35 general and complete operations liability insurance for the

s.f. H.f. 2265

- 1 layout, installation, repair, alteration, addition,
- 2 maintenance, and inspection of automatic fire extinguishing
- 3 systems in an amount determined by the state fire marshal by
- 4 rule.
- 5 Sec. 7. NEW SECTION. 100C.6 REVOCATION.
- 6 The state fire marshal shall revoke the certificate of any
- 7 fire extinguishing system contractor who fails to maintain
- 8 compliance with the conditions necessary to obtain a
- 9 certificate. A certificate may also be revoked if any of the
- 10 following occur:
- 11 1. The employment or relationship of a responsible
- 12 managing employee with a fire extinguishing system contractor
- 13 is terminated, unless the fire extinguishing system contractor
- 14 has included a qualified alternate on the application or an
- 15 application designating a new responsible managing employee is
- 16 filed with the state fire marshal within six months after the
- 17 termination.
- 18 2. The contractor fails to comply with any provision of
- 19 this chapter.
- 20 3. The contractor fails to comply with any other
- 21 applicable codes and ordinances.
- Sec. 8. NEW SECTION. 100C.7 APPLICABILITY.
- 23 This chapter shall not be construed to do any of the
- 24 following:
- 25 1. Relieve any person from payment of any local permit or
- 26 building fee.
- 27 2. Limit the power of the state or a political subdivision
- 28 of the state to regulate the quality and character of work
- 29 performed by fire extinguishing system contractors through a
- 30 system of fees, permits, and inspections designed to ensure
- 31 compliance with, and aid in the administration of, state and
- 32 local building codes or to enforce other local laws for the
- 33 protection of the public health and safety.
- 34 Sec. 9. NEW SECTION. 100C.8 ADMINISTRATION -- RULES.
- 35 The state fire marshal shall administer this chapter and

- 1 with the assistance of the fire extinguishing system
- 2 contractors advisory board shall adopt rules pursuant to
- 3 chapter 17A necessary for the administration and enforcement
- 4 of this chapter.
- 5 Sec. 10. NEW SECTION. 100C.9 PENALTIES.
- 6 l. A person who violates any provision of this chapter is 7 quilty of a simple misdemeanor.
- 8 2. The state fire marshal may impose a civil penalty of up
- 9 to five hundred dollars on any person who violates any
- 10 provision of this chapter for each day a violation continues.
- 11 The state fire marshal may adopt rules necessary to enforce
- 12 and collect any penalties imposed pursuant to this chapter.
- 13 Sec. 11. <u>NEW SECTION</u>. 100C.10 DEPOSIT AND USE OF MONEYS
- 14 COLLECTED.
- 15 All fees and penalties collected pursuant to this chapter
- 16 by the state fire marshal shall be deposited in the general
- 17 fund of the state and are appropriated to the office of the
- 18 state fire marshal for the purpose of administering this
- 19 chapter.
- 20 Sec. 12. NEW SECTION. 100C.11 FIRE EXTINGUISHING SYSTEM
- 21 CONTRACTORS ADVISORY BOARD.
- 22 l. A fire extinguishing system contractors advisory board
- 23 is established in the division of fire protection of the
- 24 department of public safety and shall advise the state fire
- 25 marshal on matters pertaining to the application and
- 26 certification of fire extinguishing system contractors
- 27 pursuant to this chapter.
- 28 2. The board shall consist of seven voting members
- 29 appointed by the commissioner of public safety as follows:
- 30 a. Two full-time fire officials of incorporated
- 31 municipalities or counties.
- 32 b. One full-time building official of an incorporated
- 33 municipality or county.
- 34 c. Two fire extinguishing system contractors, certified
- 35 pursuant to this chapter, of which at least one shall be a

s.f. ____ H.f. 2265

- 1 water-based fire sprinkler contractor.
- 2 d. One professional engineer or architect licensed in the 3 state.
- 4 e. One representative of the general public.
- 5 3. The state fire marshal, or the state fire marshal's
- 6 designee, shall be a nonvoting ex officio member of the board.
- 7 4. The commissioner shall initially appoint two members
- 8 for two-year terms, two members for four-year terms, and three
- 9 members for six-year terms. Following the expiration of the
- 10 terms of initially appointed members, each term thereafter
- 11 shall be for a period of six years. No member shall serve
- 12 more than two consecutive terms.
- 13 5. Each voting member of the council shall receive per
- 14 diem compensation at the rate specified in section 7E.6 for
- 15 each day spent in the performance of the member's duties. All
- 16 members of the council shall receive actual and necessary
- 17 expenses incurred in the performance of their duties.
- 18 6. Four voting members of the advisory board shall
- 19 constitute a quorum. A majority vote of the board shall be
- 20 required to conduct business.
- 21 7. The board, with the assistance of the state fire
- 22 marshal, shall establish rules regarding the election of board
- 23 officers, the establishment of meeting dates and locations,
- 24 and any other procedural requirements necessary to maintain
- 25 the board.
- 26 EXPLANATION
- 27 This bill establishes a program within the office of the
- 28 state fire marshal in the division of fire protection of the
- 29 department of public safety for the certification of fire
- 30 extinguishing system contractors doing business in the state
- 31 of Iowa.
- 32 The bill requires all contractors who engage in or
- 33 represent themselves to the public as engaging in the business
- 34 of layout, installation, repair, or maintenance of automatic
- 35 fire extinguishing systems to be certified by the state fire

s.f. H.f. 2265

1 marshal. The bill defines various types of automatic fire 2 extinguishing systems. To receive a certificate, the 3 contractor must provide information regarding its business and 4 proof of liability insurance coverage. The contractor must 5 also designate a responsible managing employee who must have 6 certain qualifications in fire protection technology or be 7 otherwise qualified.

8 The bill provides for certificate revocation criteria,
9 applicability of the program's provisions to local or other
10 state powers regarding fire extinguishing system contractors,
11 the administration of the chapter by the state fire marshal,
12 general rulemaking authority of the state fire marshal, and
13 penalties in the form of a simple misdemeanor and civil
14 penalties. A simple misdemeanor is punishable by confinement
15 for no more than 30 days or a fine of at least \$50 but not
16 more than \$500 or by both. A civil penalty may be assessed up
17 to \$500 per violation per day.

The bill directs that all fees and penalties collected 19 under the chapter be deposited in the general fund and 20 appropriates those funds to the office of the state fire 21 marshal for administration of the chapter.

The bill establishes a fire extinguishing system
contractors advisory board within the division of fire
protection for the purpose of advising the state fire marshal
on the administration of the program. The board consists of
seven voting members who represent city or county fire
officials, city or county building officials, fire
extinguishing system contractors, and either an engineer or
architect to be appointed by the commissioner of public safety
and serve six-year terms after the initial appointment period.
The state fire marshal or a designee shall serve as a
nonvoting member of the board. The board shall establish its

34

35