

875—76.2(89A) Information to be submitted. When application is made to the commissioner for a new installation permit, the following information shall be submitted in writing:

76.2(1) Sectional plan of car and hoistway.

76.2(2) Sectional plan of machine room.

76.2(3) Sectional elevation of hoistway and machine room including the pit, bottom and top clearance of car and counterweights.

76.2(4) Size and weight of rails and guide rail bracket spacing.

76.2(5) The estimated maximum vertical forces on the guide rails on application of the safety device.

76.2(6) In the case of freight elevators for class B or C loading, the horizontal forces on the guide rail faces during loading and unloading, and the estimated maximum horizontal forces in a post-wise direction on the guide rail faces on the application of the safety device.

76.2(7) The size and weight per foot of any rail reinforcements where provided.

76.2(8) Job specifications.

76.2(9) Contract price of the installation.

76.2(10) For a conveyance covered by ASME A17.7, a complete copy of the Code Compliance Document with attachments as described by ASME A17.7, Section 2.10, and a complete copy of the Certificate of Conformance with attachments as described by ASME A17.7 Appendix I, Section 4.5.2.

76.2(11) For a construction personnel hoist, the planned dates for the addition of floors to the range of the construction personnel hoist, and the number of additional floors to be added in each phase.