

481—70.35(231D) Structural requirements.

70.35(1) The structure, equipment and physical environment of the program will be designed and operated to meet the needs of the participants. The building, grounds and equipment will be well-maintained, clean, safe and sanitary.

70.35(2) There will be at least one toilet for every ten participants and staff members.

70.35(3) Toilets and bathing and toileting appliances will be equipped for use by participants with multiple disabilities.

70.35(4) There will be a ratio of at least one hand-washing sink for every two toilets. The sink(s) will be proximate to the toilets. Hand-washing facilities will be readily accessible to participants and staff.

70.35(5) Shower and tub areas, if provided, will be equipped with grab bars and slip-resistant surfaces.

70.35(6) Signaling emergency call devices will be installed or placed in all bathroom areas, restroom stalls and showers.

70.35(7) A telephone will be available to participants to make and receive calls in a private manner and for emergency purposes.

70.35(8) A storage area(s) will be provided for storage of program supplies and participants' possessions, which will be stored in such a manner that, when not in use, will prevent personal injury to participants and staff.

70.35(9) The program will provide a separate area to permit privacy for evaluations and to isolate participants who become ill.

70.35(10) The program will meet other building and public safety codes, including rules pertaining to accessibility contained in the state building code and provisions of the state building code relating to persons with disabilities.

70.35(11) The program will meet the requirements in subrule 70.32(4).

[ARC 0066D, IAB 2/4/26, effective 3/11/26]