

441—110.15(237A) Additional requirements for child development home category C. In addition to the requirements in rule 441—110.8(237A), a provider requesting registration in child development home category C shall meet the following standards:

110.15(1) Limits on number of children in care.

a. No more than 12 children not attending kindergarten or a higher grade level shall be present at any one time.

b. Of these 12 children, no more than four children who are 24 months of age or younger shall be present at any one time. Whenever four children who are under the age of 18 months are in care, both providers shall be present.

c. In addition to the 12 children not in school, no more than two children who attend school may be present for a period of less than two hours at any one time.

d. In addition to these 14 children, no more than two children who are receiving care on a part-time basis may be present.

e. No more than 16 children shall be present at any one time when an emergency school closing is in effect.

f. If more than eight children are present, both providers shall be present. Each provider shall meet the provider qualifications for child development home category C.

110.15(2) Provider qualifications.

a. One provider who meets the following qualifications must always be present:

(1) The provider shall be at least 21 years old.

(2) The provider shall have a high school diploma, GED, or documentation of current or previous enrollment in credit-based coursework from a postsecondary educational institution that is an accredited college or university.

(3) The provider shall either:

1. Have five years of experience as a registered or nonregistered child care provider, or

2. Have a child development associate credential or any two-year or four-year degree in a child care-related field and four years of experience as a registered or nonregistered child care home provider.

b. The coprovider shall meet the requirements of subrule 110.14(2).

c. No more than two named providers shall be allowed on a registration certificate.

110.15(3) Facility requirements.

a. The home shall have a minimum of 35 square feet of child-use floor space for each child in care indoors, and a minimum of 50 square feet per child in care outdoors.

b. The home shall have a separate quiet area for sick children.

c. The home shall have a minimum of two direct exits to the outside from the main floor.

(1) If the second level or the basement of the home is used for the provision of child care, other than the use of a restroom, each additional child-occupied floor shall have at least one direct exit to the outside in addition to one inside stairway.

(2) All exits shall terminate at grade level with permanent steps.

(3) A basement window may be used as an exit if the window can be opened from the inside without the use of tools and it provides a clear opening of not less than 20 inches in width, 24 inches in height, and 5.7 square feet in area. The bottom of the opening shall be not more than 44 inches above the floor, with permanent steps inside leading up to the window.

(4) Occupancy above the second floor shall not be permitted for child care.

[ARC 2647C, IAB 8/3/16, effective 10/1/16; ARC 5488C, IAB 3/10/21, effective 5/1/21]