

481—470.7(10A) Firms. All firms that perform or offer to perform lead-based paint activities must be certified by the department. Firms will employ only appropriately certified employees to conduct lead-based paint activities, and the firm and its employees will follow the work practice standards in rule 481—470.6(10A) for conducting lead-based paint activities. A firm must employ at least one certified individual in order to receive or maintain firm certification.

470.7(1) A firm wishing to be certified will apply to the department electronically in a format specified by the department or may apply using a paper application supplied by the department. The firm will submit:

- a.* A completed application.
- b.* Documentation that the firm will employ only appropriately certified lead professionals to perform lead-based paint activities. In addition, the firm will document that the agency and its employees or contractors will follow the work practice standards in rule 481—470.6(10A) for conducting lead-based paint activities.
- c.* The certified firm will maintain all records required by rule 481—470.6(10A), with the exception of elevated blood lead (EBL) inspection reports, for three years. Certified firms that are also certified as elevated blood lead (EBL) inspection agencies will maintain elevated blood lead (EBL) inspection reports for at least ten years.

470.7(2) Firms must be recertified every three years. To be recertified, the firm will submit the following:

- a.* A completed application.
- b.* Documentation that the firm will employ only appropriately certified lead professionals to perform lead-based paint activities. In addition, the firm will document that the firm and its employees or contractors will follow the work practice standards in rule 481—470.6(10A) for conducting lead-based paint activities.

[ARC 8908C, IAB 2/19/25, effective 3/26/25; Editorial change: IAC Supplement 4/2/25]