

**657—8.5 (155A) Environment and equipment requirements.** There shall be adequate space, equipment, and supplies for the professional and administrative functions of the pharmacy. Space and equipment in an amount and type to provide secure, environmentally controlled storage of drugs shall be available.

**8.5(1) Refrigeration.** The pharmacy shall maintain one or more refrigeration units. The temperature of the refrigerator shall be maintained within a range compatible with the proper storage of drugs requiring refrigeration, and a thermometer shall be maintained in the refrigerator to verify the temperature.

**8.5(2) Sink.** The pharmacy shall have a sink with hot and cold running water located within the pharmacy department and available to all pharmacy personnel; the sink shall be maintained in a sanitary condition.

**8.5(3) Secure barrier.** The pharmacy department shall be surrounded by a physical barrier capable of being securely locked to prevent entry when the department is closed. A secure barrier may be constructed of other than a solid material with a continuous surface if the openings in the material are not large enough to permit removal of items from the pharmacy department by any means. Any material used in the construction of the barrier shall be of sufficient strength and thickness that it cannot be readily or easily removed, penetrated, or bent. The plans and specifications of the barrier shall be submitted to the board for approval prior to the start of construction. The board may also require on-site inspection of the facility or pharmacy department prior to the pharmacy's opening or relocation. The pharmacy department shall be closed and secured in the absence of the pharmacist except as provided in rule 657—6.7(124,155A) or 657—7.6(124,155A).

**8.5(4) Orderly and clean.** The pharmacy shall be arranged in an orderly fashion and kept clean. All required equipment shall be in good operating condition and maintained in a sanitary manner. Animals shall not be allowed within a licensed pharmacy unless that pharmacy is exclusively providing services for the treatment of animals or unless the animal is a service dog or assistive animal as defined in Iowa Code subsection 216C.11(1).

**8.5(5) Light and ventilation.** The pharmacy shall be properly lighted and ventilated.

**8.5(6) Temperature and humidity.** The temperature and humidity of the pharmacy shall be maintained within a range compatible with the proper storage of drugs.

**8.5(7) Other equipment.** The pharmacist in charge shall ensure the availability of any other equipment necessary for the particular practice of pharmacy and to meet the needs of the patients served by the pharmacy.

**8.5(8) Bulk counting machines.** Unless bar-code scanning is required and utilized to verify the identity of each stock container of drugs utilized to restock a counting machine cell or bin, a pharmacist shall verify the accuracy of the drugs to be restocked prior to filling the counting machine cell or bin. A record identifying the individual who verified the drugs to be restocked, the individual who restocked the counting machine cell or bin, and the date shall be maintained. The pharmacy shall have a method to calibrate and verify the accuracy of the counting device and shall, at least quarterly, verify the accuracy of the device and maintain a dated record identifying the individual who performed the quarterly verification.