IAC Ch 64, p.1

21-64.151(163,166D) Quarantines.

64.151(1) Except for sales to slaughter or to pseudorabies-approved premises, owners of animals tested for pseudorabies shall hold the entire herd on the premises until results are determined.

64.151(2) Infected herds not on an approved cleanup plan. All known pseudorabies infected herds, not on an approved herd cleanup plan, are subject to restricted movement to slaughter according to 64.154(2) "c" and 64.155(8).

64.151(3) Quarantine releasing procedures.

- a. A heard of swine shall no longer be classified as a known infected herd after removal of all positive swine and at least one of the following three conditions have been met:
- (1) All swine have been removed and the premises have been cleaned and disinfected and maintained free of swine for 30 days or a period of time determined adequate by an official pseudorabies epidemiologist.
- (2) All swine seropositive to an official test have been removed and all remaining swine, except suckling pigs, are tested and found negative 30 days or more after removal of the seropositive animals.
- (3) All swine seropositive to an official test have been removed, and all breeding swine that remain in the herd and an official random sample consisting of at least 30 animals from each segregated group of grower-finisher swine over two months of age are tested and found negative 30 days or more after removal of the seropositive animals. A second test of grower-finisher swine at least 30 days after the first test is required.
- b. In nurseries and finishing herds without any breeding swine and where no pigs are received from quarantined premises, quarantines may be released as follows:
- (1) A negative official random-sample test consisting of at least 30 animals from each segregated group, conducted at least 30 days following depopulation with cleaning and disinfection of the premises and 7 days' downtime, or
- (2) A negative official random-sample test consisting of at least 30 animals from each segregated group, conducted at least 30 days following a similar negative official random-sample test.

A similar official random-sample test must then be conducted between 60 and 90 days following quarantine release.

Any quarantine releasing procedure deviating from the above procedures or Iowa Code section 166D.9 must be approved by the official pseudorabies epidemiologist and the state veterinarian.