

**875—71.10(89A) Alterations.**

**71.10(1)** Alterations or changes shall comply with rule 875—72.13(89A) or rule 875—73.8(89A), as applicable.

**71.10(2)** A conveyance that is relocated shall be brought into compliance with all codes that are applicable at the time of relocation.

**71.10(3)** Alterations of conveyances other than escalators and elevators shall require that the entire conveyance be brought into compliance with the current code.

**71.10(4)** Work required by ASME A17.3 (2011) qualifies as normal maintenance and does not require an alteration permit except for work performed to comply with ASME A17.3 (2011) 2.3.3, 3.4.4.1(a), 3.4.4.2, 3.5.3, 3.5.5(a) and (b), 3.5.7, 3.6.1, 3.6.2, 3.8.1(a), 3.8.3(a), 3.10.1, 3.10.4(b) through (g), 3.10.4(i) through (k), 3.10.4(m), 3.10.4(r), 3.10.4(w), 3.10.7, 3.10.9, 3.10.10, 4.4.2, 4.4.3, and 4.7.3. [ARC 7840B, IAB 6/17/09, effective 7/22/09; ARC 0168C, IAB 6/13/12, effective 7/18/12; ARC 0685C, IAB 4/17/13, effective 5/22/13; ARC 2396C, IAB 2/17/16, effective 3/23/16; ARC 4376C, IAB 3/27/19, effective 5/1/19]