

MAR 4 1985

Place On Calendar

HOUSE FILE 469

BY COMMITTEE ON ENERGY AND ENVIRONMENTAL PROTECTION

(Formerly House File 152)

Passed House, Date 3-14-85 (p. 818) Passed Senate, Date 4-15-85 (p. 1356)

Vote: Ayes 84 Nays 14 Vote: Ayes 46 Nays 2

Approved April 30, 1985 (p. 2087)
motion to reconsider (p. 1365) w/d 4/17

A BILL FOR

- 1 An Act to require a sufficient number of wells at each sanitary
- 2 disposal project to adequately monitor ground water quality.
- 3 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

H-3354

HOUSE FILE 469

- 1 Amend House File 469 as follows:
- 2 1. Page 1, line 13, by inserting after the word
- 3 "shall" the word "include".

H-3354 FILED MARCH 14, 1985 BY JOHNSON of Winneshiek
ADOPTED BY UNANIMOUS CONSENT (p. 817)

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

6

1 Section 1. Section 455B.304, unnumbered paragraph 1, Code
2 1985, is amended to read as follows:

3 The commission shall establish rules for the proper
4 administration of ~~the provisions of~~ this part 1 of division IV
5 which shall reflect and accommodate as far as is reasonably
6 possible ~~these~~ the current and generally accepted methods and
7 techniques for treatment and disposition of solid waste which
8 will serve the purposes of part 1 of this division, and which
9 shall take into consideration the factors, including others
10 which it ~~may deem~~ deems proper, such as existing physical
11 conditions, topography, soils and geology, climate,
12 transportation, and land use, ~~the rules including~~ and which
3354 13 shall but are not limited to rules relating to the
14 establishment and location of sanitary disposal projects,
15 sanitary practices, inspection of sanitary disposal projects,
16 collection of solid waste, disposal of solid waste, pollution
17 controls, the issuance of permits, approved methods of private
18 disposition of solid waste, the general operation and
19 maintenance of sanitary disposal projects, and the
20 implementation of part 1 of this division. The rules shall
21 require that each sanitary disposal project has a sufficient
22 number of water wells to adequately monitor the quality of
23 ground water adjacent to the sanitary disposal project site.
24 Prior to issuance of rules or amendments ~~thereto~~ to rules, the
25 commission shall hold at least one public hearing on the
26 proposed rules or amendments, and shall give notice of the
27 hearing at least thirty days in advance by publishing notice
28 in a newspaper of general circulation in the state.

29 EXPLANATION

30 This bill provides that the water, air and waste management
31 commission shall require that a sufficient number of water
32 wells are installed as a part of a sanitary disposal project
33 to monitor the water quality of ground water adjacent to the
34 sanitary disposal project site.

35

HOUSE FILE 469

AN ACT

TO REQUIRE A SUFFICIENT NUMBER OF WELLS AT EACH SANITARY DISPOSAL PROJECT TO ADEQUATELY MONITOR GROUND WATER QUALITY.

BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

Section 1. Section 455B.304, unnumbered paragraph 1, Code 1985, is amended to read as follows:

The commission shall establish rules for the proper administration of ~~the provisions of~~ this part 1 of division IV which shall reflect and accommodate as far as is reasonably possible ~~those~~ the current and generally accepted methods and techniques for treatment and disposition of solid waste which will serve the purposes of part 1 of this division, and which shall take into consideration the factors, including others which it ~~may deem~~ deems proper, such as existing physical conditions, topography, soils and geology, climate, transportation, and land use, ~~the rules including and which shall include~~ but are not limited to rules relating to the establishment and location of sanitary disposal projects, sanitary practices, inspection of sanitary disposal projects, collection of solid waste, disposal of solid waste, pollution controls, the issuance of permits, approved methods of private disposition of solid waste, the general operation and maintenance of sanitary disposal projects, and the implementation of part 1 of this division. The rules shall require that each sanitary disposal project has a sufficient number of water wells to adequately monitor the quality of ground water adjacent to the sanitary disposal project site. Prior to issuance of rules or amendments ~~thereto~~ to rules, the commission shall hold at least one public hearing on the proposed rules or amendments, and shall give notice of the

hearing at least thirty days in advance by publishing notice in a newspaper of general circulation in the state.

DONALD D. AVENSON
Speaker of the House

ROBERT T. ANDERSON
President of the Senate

I hereby certify that this bill originated in the House and is known as House File 469, Seventy-first General Assembly.

JOSEPH O'HERN
Chief Clerk of the House

Approved *April 30* 1985

TERRY E. BRANSTAD
Governor