Reprinted

FILED JAN 3 1 1989

SENATE FILE 120 Substituted yor HF191

(SUCCESSÓR to SSB 10) (COMPANION TO LSB 1223HV)

Passed	Senate,	Date 2/13	189 (D.	3(3) Passed	House	, Date	e	
Vote:	Ayes AA	Nays	6	Vote:			Nays	
	Aţ	proved _						

### A BILL FOR

1 An Act relating to the allowable length of stinger-steered automobile transporters and certain semitrailers when operated 2 3 on highways designated by the state transportation commission. 4 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

SENATE FILE 120

S-3053 1

5 6

21 22 23

Amend Senate File 120 as follows: 1. Page 1, by inserting before line 21, the 2 3 following:

"Sec. Section 321.457, subsection 3, 4 5 paragraph d, Code 1989, is amended to read as follows: d. In a combination of vehicles used principally 7 for hauling livestock or a stinger-steered automobile 8 transporter operating under this subsection and 9 section 321.454, subsection 2, the combination of 10 vehicles used principally for hauling livestock or the 11 stinger-steered automobile transporter may depart from 12 the designated highway system by the most direct route 13 to points of pickup and delivery. Vehicles operating 14 under this paragraph are not exempt from posted size 15 and weight restrictions on highway structures." By DON E. GETTINGS

**S-3057** FILED FEBRUARY 9, 1989 GUPt(2-13-84 (p.363))

TLSB 1223SV 73 gk/cf/24

S.F. 120 H.F.

34

Section 1. Section 321.1, Code 1989, is amended by adding 2 the following new subsection:

3 <u>NEW SUBSECTION</u>. 89. "Stinger-steered automobile 4 transporter" means any vehicle combination designed and used 5 specifically for the transport of assembled highway vehicles, 6 recreational vehicles, or boats in which the fifth wheel is 7 located on a drop frame located below and behind the rearmost 8 axle of the power unit.

9 Sec. 2. Section 321.457, subsection 3, paragraph b, Code 10 1989, is amended to read as follows:

b. A trailer or semitrailer, laden or unladen, shall not have an overall length in excess of twenty-eight feet six inches when operating in a truck tractor-semitrailer-trailer trailer or truck tractor-semitrailer-semitrailer

15 combination. When the semitrailers in a truck tractor-16 semitrailer-semitrailer combination are connected by a rigid

17 frame extension including a fifth-wheel connection point

18 attached to the rear frame of the first semitrailer, the

19 length of the frame extension shall not be included when
20 determining the overall length of the first semitrailer.

3053 21 Sec. 3. Section 321.457, subsection 3, Code 1989, is 22 amended by adding the following new paragraph:

23 <u>NEW PARAGRAPH</u>. e. A stinger-steered automobile 24 transporter shall not have an overall length exceeding 25 seventy-five feet, except that the load may extend up to three 26 feet beyond the front bumper and up to four feet beyond the 27 rear bumper.

Sec. 4. Section 321.457, subsection 3, unnumbered
paragraph 2, Code 1989, is amended to read as follows:
The commission shall adopt rules to designate the highways.
The rules adopted by the department under this paragraph are
exempt from chapter 17A, the Iowa administrative procedure
Act.

EXPLANATION

-1-

35 This bill relates to the maximum lengths of certain





1 vehicles when operating on highways designated for longer 2 vehicles by the state transportation commission.

S.F. **/20** H.F.

3 The bill allows semitrailers in a truck tractor-4 semitrailer-semitrailer combination to have an overall length 5 of up to twenty-eight feet six inches as allowed under current 6 Code provisions for trailers and semitrailers in a truck 7 tractor-semitrailer-trailer combination. The bill provides 8 that if the semitrailers are connected by a rigid frame 9 extension including a fifth-wheel connection point attached to 10 the rear frame of the first semitrailer, the length of the 11 frame extension is not included in determining the overall 12 length of the first semitrailer.

13 The bill allows stinger-steered automobile transporters 14 operated on the designated highways to have an overall length 15 up to seventy-five feet. However, the bill provides that the 16 transporters may have the load extend up to three feet beyond 17 the front bumper and up to four feet beyond the rear bumper. 18 A stinger-steered automobile transporter is defined as being 19 any vehicle combination designed and used specifically for the 20 transport of assembled highway vehicles, recreational 21 vehicles, or boats in which the fifth wheel is located on a 22 drop frame located below and behind the rearmost axle of the 23 power unit.

The bill also clarifies that the state transportation commission is exempt from the Iowa administrative procedure Act when designating the highways for use by longer vehicles. Section 17A.23 of the Code requires that exemptions cite the Act by name.

- 2

- 29 30
- 31
- 32

33 34 35

LSB 1223SV 73 gk/cf/24




SENATE FILE 120 BY COMMITTEE ON TRANSPORTATION

(SUCCESSOR to SSB 10) (COMPANION TO LSB 1223HV) (AS AMENDED AND PASSED BY THE SENATE FEBRUARY 13, 1989) New Language by the Senate

Passed Senate, Date  $\frac{3/13}{89(p.363)}$  Passed House, Date  $\frac{4-5-89(p.B02)}{12}$ Vote: Ayes  $\frac{42}{12}$  Nays  $\frac{6}{12}$  Vote: Ayes  $\frac{81}{12}$  Nays  $\frac{12}{12}$ Approved  $\frac{4-20-89}{120-89}$  ( $\frac{p.684}{120}$ )

# A BILL FOR

1 An Act relating to the allowable length of stinger-steered



11

12

- 13
- 14 15
- 16
- 17
- 18 19
- 20
- 21

SF 120 ;k/cc/26



S.F. 120 H.F.

Section 1. Section 321.1, Code 1989, is amended by adding 1 2 the following new subsection: NEW SUBSECTION. 89. "Stinger-steered automobile 3 4 transporter" means any vehicle combination designed and used 5 specifically for the transport of assembled highway vehicles, 6 recreational vehicles, or boats in which the fifth wheel is 7 located on a drop frame located below and behind the rearmost 8 axle of the power unit. Sec. 2. Section 321.457, subsection 3, paragraph b, Code 9 10 1989, is amended to read as follows: b. A trailer or semitrailer, laden or unladen, shall not 11 12 have an overall length in excess of twenty-eight feet six 13 inches when operating in a truck tractor-semitrailer-trailer 14 combination or truck tractor-semitrailer-semitrailer 15 combination. When the semitrailers in a truck tractor-16 semitrailer-semitrailer combination are connected by a rigid 17 frame extension including a fifth-wheel connection point 18 attached to the rear frame of the first semitrailer, the 19 length of the frame extension shall not be included when 20 determining the overall length of the first semitrailer. 21 Sec. 3. Section 321.457, subsection 3, paragraph d, Code 22 1989, is amended to read as follows: 23 In a combination of vehicles used principally for d. 24 hauling livestock or a stinger-steered\_automobile\_transporter 25 operating under this subsection and section 321.454, 26 subsection 2, the combination of vehicles used principally for 27 hauling livestock or the stinger-steered automobile 28 transporter may depart from the designated highway system by 29 the most direct route to points of pickup and delivery. 30 Vehicles operating under this paragraph are not exempt from 31 posted size and weight restrictions on highway structures. 32 Sec. 4. Section 321.457, subsection 3, Code 1989, is 33 amended by adding the following new paragraph: NEW PARAGRAPH. e. A stinger-steered automobile 34 35 transporter shall not have an overall length exceeding

-1-

1 seventy-five feet, except that the load may extend up to three 2 feet beyond the front bumper and up to four feet beyond the 3 rear bumper.

Sec. 5. Section 321.457, subsection 3, unnumbered
paragraph 2, Code 1989, is amended to read as follows:
The commission shall adopt rules to designate the highways.
The rules adopted by the department under this paragraph are
exempt from chapter 17A, the Iowa administrative procedure
Act.

> SF 120 ak/dd/26

GETTINGS, CH. Scott EDOGWIN

SSB #10 TRANSPORTATION NOW

SENATE FILE 120

BY (PROPOSED STATE DEPARTMENT OF TRANSPORTATION BILL)

gk/cf/24

Passed	Senate,	Date	_ Pa	ssed	House,	Date	
Vote:	Ayes	Nays	_ Vo	te:	Ayes	Nays	
	Ap	proved				_	

### A BILL FOR

1 An Act relating to the allowable length of stinger-steered

2 automobile transporters and certain semitrailers when operated

3 on highways designated by the state transportation commission.

4 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:



S.F. \_\_\_\_\_ H.F.

1 Section 1. Section 321.1, Code 1989, is amended by adding 2 the following new subsection:

3 <u>NEW SUBSECTION</u>. 89. "Stinger-steered automobile 4 transporter" means any vehicle combination designed and used 5 specifically for the transport of assembled highway vehicles, 6 recreational vehicles, or boats in which the fifth wheel is 7 located on a drop frame located below and behind the rearmost 8 axle of the power unit.

9 Sec. 2. Section 321.457, subsection 3, paragraph b, Code 10 1989, is amended to read as follows:

b. A trailer or semitrailer, laden or unladen, shall not 11 12 have an overall length in excess of twenty-eight feet six 13 inches when operating in a truck tractor-semitrailer-trailer 14 combination or truck tractor-semitrailer-semitrailer 15 combination. When the semitrailers in a truck tractor-16 semitrailer-semitrailer combination are connected by a rigid 17 frame extension including a fifth-wheel connection point 18 attached to the rear frame of the first semitrailer, the 19 length of the frame extension shall not be included when 20 determining the overall length of the first semitrailer. Sec. 3. Section 321.457, subsection 3, Code 1989, is 21 22 amended by adding the following new paragraph: 23 NEW PARAGRAPH. e. A stinger-steered automobile 24 transporter shall not have an overall length exceeding 25 seventy-five feet, except that the load may extend up to three 26 feet beyond the front bumper and up to four feet beyond the 27 rear bumper. Sec. 4. Section 321.457, subsection 3, unnumbered 28 29 paragraph 2, Code 1989, is amended to read as follows: 30 The commission shall adopt rules to designate the highways.

31 The rules adopted by the department under this paragraph are 32 exempt from chapter 17A, the Iowa administrative procedure 33 Act.


34

### EXPLANATION

35 This bill relates to the maximum lengths of certain

-1-

S.F. \_\_\_\_\_ H.F. \_\_\_\_



3 The bill allows semitrailers in a truck tractor-4 semitrailer-semitrailer combination to have an overall length 5 of up to twenty-eight feet six inches as allowed under current 6 Code provisions for trailers and semitrailers in a truck 7 tractor-semitrailer-trailer combination. The bill provides 8 that if the semitrailers are connected by a rigid frame 9 extension including a fifth-wheel connection point attached to 10 the rear frame of the first semitrailer, the length of the 11 frame extension is not included in determining the overall 12 length of the first semitrailer.

13 The bill allows stinger-steered automobile transporters 14 operated on the designated highways to have an overall length 15 up to seventy-five feet. However, the bill provides that the 16 transporters may have the load extend up to three feet beyond 17 the front bumper and up to four feet beyond the rear bumper. 18 A stinger-steered automobile transporter is defined as being 19 any vehicle combination designed and used specifically for the 20 transport of assembled highway vehicles, recreational 21 vehicles, or boats in which the fifth wheel is located on a 22 drop frame located below and behind the rearmost axle of the 23 power unit.

The bill also clarifies that the state transportation commission is exempt from the Iowa administrative procedure Act when designating the highways for use by longer vehicles. Section 17A.23 of the Code requires that exemptions cite the Act by name.

29 30

## BACKGROUND STATEMENT SUBMITTED BY THE AGENCY

The Federal Highway Administration (FHWA) issued a rule in January 1988 which became effective February 29, 1988, regarding national use of stinger-steered automobile A transporters.

35 This rule stipulates that no state shall impose an overall



-2-

S.F. H.F.

1 length limitation of less than 75 feet on stinger-steered 2 automobile transporters operating on the national system of 3 highways designated for use by larger trucks which was first 4 identified in the 1982 Surface Transportation Assistance Act. 5 The FHWA rule also prohibits states from imposing a front load 6 overhang limitation of less than three feet or a rear load 7 overhang of less than four feet.

8 Currently, Iowa Code allows the operation on all roads and 9 streets in the state of automobile transporters, including 10 stinger-steered auto transports, with an overall length 11 limitation not to exceed 65 feet and a front overhang of three 12 feet and a rear overhang of four feet. This proposal limits 13 the 75-foot long stinger-steered transports to the designated 14 system for larger trucks in Iowa.

Nationally, automobile transporters are a small segment of the total medium-to-heavy truck population (13,000 vehicles out of a total medium-to-heavy truck population of over 2 million). The stinger-steered units constitute an even smaller percentage.

A second FHWA rule, effective July 7, 1988, relates to the measurement of a new kind of connecting device used in some win-trailer trucks. Most twins are connected by having the first trailer tow a dolly that has a fifth wheel. The dolly is connected to the first trailer by a kind of hook-and-eye sarrangement so there are two articulation points between the two trailers. The new device, known as a B-train assembly, has a rigid frame extension attached to the first trailer with a fifth wheel mounted on it. There is only one articulation point between the two trailers and there is also increased or roll stability.

31 Trailers used in twin-trailer combinations are limited to 32 28 1/2 feet in length. The overall length of these 33 combinations is limited by the length of the trailers. This 34 proposal provides that when a B-train assembly is used in a 35 twin-trailer combination, the frame extension is not included

-3-

1 in the measurement of the first trailer. Excluding the B-2 train from the measurement of trailer length will not allow 3 longer trailers or longer combinations than are currently 4 allowed. 







3

LSB 1223SD 73 gk/cf/24

-4-

located on a drop frame located below and behind the rearmost axle of the power unit.

Sec. 2. Section 321.457, subsection 3, paragraph b, Code 1989, is amended to read as follows:

b. A trailer or semitrailer, laden or unladen, shall not have an overall length in excess of twenty-eight feet six inches when operating in a truck tractor-semitrailer-trailer combination or truck tractor-semitrailer-semitrailer combination. When the semitrailers in a truck tractorsemitrailer-semitrailer combination are connected by a rigid frame extension including a fifth-wheel connection point attached to the rear frame of the first semitrailer, the length of the frame extension shall not be included when determining the overall length of the first semitrailer.

Sec. 3. Section 321.457, subsection 3, paragraph d, Code 1989, is amended to read as follows:

d. In a combination of vehicles used principally for hauling livestock or a stinger-steered automobile transporter operating under this subsection and section 321.454, subsection 2, the combination of vehicles used principally for hauling livestock or the stinger-steered automobile <u>transporter</u> may depart from the designated highway system by the most direct route to points of pickup and delivery. Vehicles operating under this paragraph are not exempt from posted size and weight restrictions on highway structures.

Sec. 4. Section 321.457, subsection 3, Code 1989, is amended by adding the following new paragraph:

<u>NEW PARAGRAPH</u>. e. A stinger-steered automobile transporter shall not have an overall length exceeding seventy-five feet, except that the load may extend up to three feet beyond the front bumper and up to four feet beyond the rear bumper.

Sec. 5. Section 321.457, subsection 3, unnumbered paragraph 2, Code 1989, is amended to read as follows:

SENATE FILE 120

#### AN ACT

RELATING TO THE ALLOWABLE LENGTH OF STINGER-STEERED AUTOMOBILE TRANSPORTERS AND CERTAIN SEMITRAILERS WHEN OPERATED ON HIGH-WAYS DESIGNATED BY THE STATE TRANSPORTATION COMMISSION.

BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

Section 1. Section 321.1, Code 1989, is amended by adding the following new subsection:

<u>NEW SUBSECTION</u>. 89. "Stinger-steered automobile transporter" means any vehicle combination designed and used specifically for the transport of assembled highway vehicles, recreational vehicles, or boats in which the fifth wheel is The commission shall adopt rules to designate the highways. The rules adopted by the department under this paragraph are exempt from chapter 17A, the Iowa administrative procedure Act.

> JO ANN ZIMMERMAN President of the Senate

DONALD D. AVENSON Speaker of the House

I hereby certify that this bill originated in the Senate and is known as Senate File 120, Seventy-third General Assembly.

Approved 4/20/97 1989

JOHN F. DWYER Secretary of the Senate

TERRY E. BRANSTAD Governor

