**JAN** 1 4 1997 Referred to Environmental 1-15-97 Protect. (COMPANION TO LSB 119955 (P.63) NATURAL RESOURCES

HOUSE FILE

BY JENSEN)

Passed	House,	Date	Passed	Senate,	Date		
Vote:	Ayes	Nays	Vote:	Ayes	<u></u>	Nays	
	Ap	oproved					· · · · · · · · · · · · · · · · · · ·

## A BILL FOR

1 An Act requiring an impact study prior to approval of a general permit to discharge stormwater.

3 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:



Ч Т

S.F. \_\_\_\_\_ H.F. \_\_\_\_8

15

Section 1. Section 455B.103A, subsection 1, Code 1997, is
amended by adding the following new paragraph:

3 <u>NEW PARAGRAPH</u>. h. Before final approval is given under 4 this section for a general permit to discharge stormwater, the 5 department shall obtain the services of a local representative 6 of the United States natural resource conservation service to 7 conduct an impact study of soil erosion and sediment 8 accumulation at the point of the stormwater discharge. The 9 impact study shall be completed at least thirty days before 10 final approval of the general permit. The findings of the 11 impact study shall be made available to the owners of the land 12 adjacent to the point of stormwater discharge. If the impact 13 study is not completed and available to the public as provided 14 in this paragraph, a general permit shall not be issued.

-

EXPLANATION

16 This bill provides that, before the department of natural 17 resources issues a general permit for stormwater discharge, 18 the department shall obtain the services of the United States 19 natural resource conservation service to conduct an impact 20 study of soil erosion and sediment accumulation at the point 21 of the stormwater discharge. The impact study shall be 22 completed at least 30 days before the general permit is 23 approved. The findings of the impact study are to be made 24 available to the owners of land adjacent to the point of the 25 discharge. If the impact study is not completed, a general 26 permit shall not be issued.

-1-

LSB 1199HH 77 tj/jw/5