Senate Study Bill 1254

SENATE FILE ______
BY (PROPOSED COMMITTEE ON ENVIRONMENT AND ENERGY INDEPENDENCE BILL BY CHAIRPERSON BLACK)

Passed	Senate,	Date	Passed	House,	Date	_
Vote:	Ayes	Nays	Vote:	Ayes	Nays	_
	- Aı	pproved				

A BILL FOR

1 An Act providing for the dispensing of ethanol blended gasoline
2 by authorizing the use of secondary containment, and providing
3 an effective date.

4 BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF IOWA:

5 TLSB 2220XC 83

6 da/rj/5

PAG LIN

```
Section 1. Section 455G.31, subsection 2, Code 2009, is
  2 amended to read as follows:
          2. A retail dealer may use gasoline storage and dispensing
   4 infrastructure <u>other than a dispenser</u> to store and dispense 5 ethanol blended gasoline classified as E=9 or higher if <del>all of</del>
   6 the following apply:
         a. For gasoline storage and dispensing infrastructure
   8 other than the dispenser, the department of natural resources
  9 under this chapter or the state fire marshal under chapter 101
1 10 must determine determines that it is compatible with the
1 11 ethanol blended gasoline being used.
1 12 b. (1) For a 3. A retail dealer may use a dispenser, all
1 13 of the following shall apply to dispense ethanol blended
  14 gasoline classified as E=9 or higher if any of the following
1 15 applies:
1 16
          (a) a. (1) The dispenser must be is listed by an
1 17 independent testing laboratory as compatible with ethanol
1 18 blended gasoline classified as E=9 or higher. In addition,
          (b) The owner or operator or a person authorized by the
1 20 owner or operator must the retail dealer must visually inspect
1 21 the dispenser and the dispenser sump daily for leaks and 1 22 equipment failure and maintain a record of such inspection for
1 23 at least one year after the inspection. The record shall be
  24 located on the premises of the retail dealer and shall be made 25 available to the department of natural resources or the state
1 26 fire marshal upon request. If a leak is detected, the
1
  27 department of natural resources shall be notified pursuant to
  28 section 455B.386.
          (2) The state fire marshal shall issue an order as soon as
  30 practicable after determining that a commercially available
  31 dispenser is listed as compatible for use with E=85 gasoline 32 by an independent testing laboratory. The state fire marshal
1 33 shall publish the order in the Iowa administrative bulletin.
  34 A person shall not install a dispenser which would otherwise 35 be permitted under subparagraph (1) after sixty days following
1
   1 the date that the order is published. A person who installed
2
   2 such dispenser before the sixty=day period expired may use the
   3 dispenser as provided in subparagraph (1) until four years
    4 after the date that the order is published.
          b. The retail dealer installs a secondary containment
    6 system designed to prevent the release of the type of ethanol 7 blended gasoline being dispensed. The secondary containment
   8 system shall comply with applicable rules adopted by the
   9 department of natural resources and the state fire marshal.
0 Sec. 2. EFFECTIVE DATE. This Act, being deemed of
2 11 immediate importance, takes effect upon enactment.
```

EXPLANATION
2 13 Under current law, a retail dealer engaged in the business
2 14 of storing and dispensing motor fuel may dispense ethanol
2 15 blended gasoline containing a high content of ethanol, and
2 16 including E=85, using special infrastructure, including a

2 17 motor fuel pump (dispenser) that is listed by an independent 2 18 testing laboratory.
2 19 This bill provides an alternative that would allow the 2 20 retail dealer to use a dispenser installed with a secondary 2 21 containment system designed to prevent the release of that 2 22 type of ethanol blended gasoline.
2 23 The bill takes effect upon enactment.
2 24 LSB 2220XC 83
2 25 da/rj/4