6	All hopper and automatic scales, three dollars each;
7	Platform scales:
8	500 to 1,000 pounds beam capacity, one dollar each;
9	1,001 to 30,000 pounds capacity, three dollars each;
10	30,001 to 50,000 pounds capacity, five dollars each;
11	50,001 pounds capacity and up, seven dollars each."
	Approved March 17th, 1943.

CHAPTER 127

COUNTY SUPPORT FOR PATIENTS IN STATE SANATORIUM

S. F. 60

AN ACT to amend section three thousand three hundred ninety-nine (3399), code, 1939, relating to the liability for support by counties for patients in the state Sanatorium.

Be It Enacted by the General Assembly of the State of Iowa:

Section three thousand three hundred ninety-nine (3399), Code, 1939, is amended by striking all of the first three (3) lines and inserting in lieu thereof the following:

"Each county shall be liable to the state for the support in the state 3 sanatorium of all patients having a legal settlement in that county, and

the state shall be liable for such support when such patients have no legal settlement in this state, or when such settlement is unknown."

Approved March 16th, 1943.

CHAPTER 128

ADJUDICATION OF A FEEBLE-MINDED PERSON

H. F. 387

AN ACT to amend section three thousand four hundred twenty-one (3421) and section three thousand four hundred twenty-five (3425), code, 1939, relating to the adjudication of an alleged feeble-minded person.

Be It Enacted by the General Assembly of the State of Iowa:

- SECTION 1. Section three thousand four hundred twenty-one (3421), Code, 1939, is hereby amended by striking from lines three (3), four (4), and five (5) the following: "the board of control on forms provided by said board", and inserting in lieu thereof the following: "said court". 3 4
- Section three thousand four hundred twenty-five (3425), Code, 1939, is hereby amended by striking from lines seven (7) and eight (8) the following: "on forms to be prepared and furnished by the board of control", and inserting in lieu thereof the following: "by the court". 2

Approved April 8, 1943.